

**Eurofor**

Distributeur de matériel neuf pour le forage et la démolition, Eurofor vous propose aussi des foreuses d'occasion.

Notre magasin de pièces détachées et notre SAV sont là pour répondre à toutes vos demandes sur vos équipements !

**Occasion : achetez sereinement**

# Foreuse HCR 1500 Furukawa



**Année 2006 - 2 445 heures marteau - 5 892 heures moteur**  
(échange standard du moteur à 5 000 heures)

## Poids et dimensions

Poids : 15 550 kg  
Longueur (hors tout) : 10 050 mm  
Largeur (hors tout) : 3 725 mm  
Hauteur (hors tout) : 3 185 mm

## Marteau

Modèle : HD715  
Poids : 250 kg  
Fréquence de frappe : 2 150 min<sup>-1</sup>  
Vitesse de rotation : 0 - 150 min<sup>-1</sup>

## Moteur

Modèle : Caterpillar C-9  
Puissance et régime : 261 kW /  
2 200 min

## Chenillard

Garde au sol : 565 mm  
Angle d'oscillation : ± 10°  
Vitesse de déplacement : 0 - 3,8 km/h  
Pente maximale : 58%

## Compresseur

Modèle : PDSF290-S15B-AIRMAN  
Débit : 13,5 m<sup>3</sup>/min  
Pression : 1,03 MPa

## Bras

Inclinaison bas-haut : 45-20°  
Orientation droite-gauche : 35-7°  
Course de l'extension : 900 mm

## Glissière

Longueur : 8 000 mm  
Avance au rocher : 1 500 mm  
Force au retrait : 31 kN

## Barillet

Capacité de 6+1 tiges

**79 000 € HT**

EXW France (Chassieu)

Vendue en l'état

Devis de révision sur  
demande

## Service Commercial

04 72 47 66 73

sales@eurofor.com

www.eurofor.com

**Eurofor**

## Need a new drill rig?

Eurofor distributes drilling machines and demolition equipment. With our spare parts warehouse and after-sales service, we're here to meet all your needs!

## Enlarge your fleet!

**79 000 € HT**

EXW France (Chassieu)

Sold as it is

Overhaul quote on demand

## Sales services

+33 (0)4 72 47 66 73  
sales@eurofor.com  
www.eurofor.com



Used machine: buy it now!

# HCR 1500 ED Furukawa drill rig



**Year 2006 - Work: 5 892 hours - Hammer: 2 445 hours**  
(standard engine changed at 5 000 hours)

### Weight and dimensions

Weight: 15 500 kg  
Length: 10 050 mm  
Width: 3 725 mm  
Height: 3 185 mm

### Hammer

HD715  
Weight: 250 kg  
Striking frequency: 2 150 min<sup>-1</sup>  
Rotation speed: 0 - 150 min<sup>-1</sup>

### Crawler

Ground clearance: 565 mm  
Oscillation angle: ±10°  
Speed: 0 - 3,8 km/h  
Maximum gradient: 58%

### Engine

Caterpillar C-9  
Power and speed: 261 / 2 200  
kW/rpm

### Compressor

PDS290-S15B-AIRMAN  
Airflow: 13,5 m<sup>3</sup>/min  
Pressure: 1,03 MPa

### Boom

Tilt angle low-high : 45-20°  
Tilt angle right-left : 35-7°  
Extension stroke : 900 mm

### Mast

Length : 8 000 mm  
Advance to the rock : 1 500 mm  
Pullback force : 31 kN

### Barrel

Capacity: 6+1 rods

