


Fibo Intercon

Interlocking Moulding Blocks



Your partner in concrete solutions



Interlocking Moulding Blocks

Mould options

Dimensions/Descriptions



160 x 80 x 80
the standard concrete block mould,
the basic is available in various sizes.



160 x 80 x 80 - 00
this mould has a flat top, whereby a smooth
finish of the top of a higher or lower wall can.



160 x 80 x 80 - T
Block often used as a wall finish,
standard divider included.



160 x 80 x 80 - S
This mould includes a separate staircase
model divider, that very easily creates
steps of 20 centimeters height.



160 x 40 x 40 cm.
The standard concrete block mould is
available in various sizes, suitable for
for example retaining walls.



160 x 40 x 40 - 00
This mould has a flat top, whereby a
smooth finish of the top of a higher
or lower wall can be achieved.

Mould options

Dimensions/Descriptions



160 x 40 x 40 - T
Due to the roof shape on the top, this shape is often used as a wall finish. A standard divider is included.



160 x 40 x 40 - 45
A sloping block which gives more visibility in for example storage boxes.



160 x 40 x 80 cm
Basic concrete block mould suitable for retaining walls in the recycling or agricultural sector.



160 x 40 x 80 - T
Due to the roof shape on the top, this shape is often used as a wall finish. Standard divider is included.



160 x 40 x 80 - 45
A sloping block which gives more visibility in for example storage boxes.



Spherical Anchor, 2,5 tons
Lifting bolt that are cast into the block



Magnet 2,5 ton
Magnetic fastening for serical-anchor. Needs to be fixed in the mould during casting. Remains behind in the mould

Mould options

Dimensions/Descriptions



Lifting bolt grommet that holds the bolt in place. You may get some usage from these and may not need so many on the next order



Key Opener
mould opener, universal key to open the concrete mould manually without extra effort.



LC2 Lifting Chain for Eyes and Anchors,
chain to lift concrete block in combination with lifting eyes and spherical anchors.



Block Clamp CL80 Including lifting beam,
block lifting frame that fits to a forklift truck or JSB type maching. This is a one off purchase



Rotator Clamp R1900
an additional tool for the forklift truck and to grip and rotate the concrete blocks to set them aside for storage.

2021-27-04. copyright © fibo intercon. No responsibility can be accepted for printing errors. Construction subject to change without notice. The models displayed may include optional equipment.

Representative:

fibo intercon a/s

Herningvej 4
DK-6920 Videbaek
Denmark
Phone: +45 97 17 16 66

info@fibointercon.com
www.fibointercon.com

